

**AMENDMENTS TO THE CLAIMS**

The listing of claims below replaces all prior versions of claims in the application.

1. (Currently Amended) A display device comprising:

a display unit having a plate;

a chassis surrounding peripheral edges of the plate and supporting the peripheral edges of the plate;

a bezel formed on the chassis and holding the peripheral edges of the plate; and

a cover enclosing a back-side surface of the display unit,

the bezel ~~being provided with~~ including a portion that is bent downward at its end portion to cover the chassis and an extension portion that extends from a side of the display unit without bending downward at its end portion, and outwardly projects the extension portion projecting outwardly beyond an end of the chassis at a level of height that is no higher than an upper surface of the cover,

wherein the display device has a height that is equivalent to a total height of the display unit and the cover only.

2. (Original) A display device according to claim 1 wherein the bezel extension portion is disposed in a vicinity of a base portion of the display unit.

3. (Original) A display device according to claim 1 wherein the display unit is arranged in a rectangular formation, and the bezel extension portion is extended from a lateral side of the display unit.

4. (Original) A display device according to claim 1 wherein an inside space is surrounded by end surfaces of the display unit and the cover, and formed beneath a back-side surface of the bezel extension portion, and an electronic part is disposed within the inside space.

5. (Currently Amended) An electronic apparatus comprising:

- a display unit having a plate;
- a chassis surrounding peripheral edges of the plate and supporting the peripheral edges of the plate;
- a bezel formed on the chassis and holding peripheral edges of the plate; and
- a cover enclosing a back-side surface of the display unit,

the bezel ~~being provided with~~ including a portion that is bent downward at its end portion to cover the chassis and an extension portion that extends from a side of the display unit without bending downward at its end portion, ~~and outwardly projects~~ the extension portion projecting outwardly beyond an end of the chassis at a ~~level of~~ height that is no higher than an upper surface of the cover,

wherein the electronic apparatus has a height that is equivalent to a total height of the display unit and the cover only.

6. (Original) An electronic apparatus according to claim 5 wherein the bezel extension portion is disposed in a vicinity of a base portion of the display unit.

7. (Original) An electronic apparatus according to claim 5 wherein the display unit is arranged in a rectangular formation, and the bezel extension portion is extended from a lateral side of the display unit.

8. (Original) An electronic apparatus according to claim 5 wherein an inside space is surrounded by end surfaces of the display unit and the cover, and formed beneath a back-side surface of the bezel extension portion, and an electronic part is disposed within the inside space.

9. – 10. (Cancelled)

11. (Currently Amended) A display device, comprising:

a display unit, including

a plate;

a chassis surrounding peripheral edges of the plate and supporting the peripheral edges of the plate; and

a cover enclosing a back-side surface of the display unit; and

a bezel formed on the chassis and holding the peripheral edges of the plate, the bezel being provided with including a portion that is bent downward at its end portion to cover

the chassis and an extension portion which is extended from a side of the display unit without bending downward at its end portion, and ~~outwardly projects from the extension portion projecting outwardly beyond~~ an end of the chassis at a height that is no higher than an upper surface of the cover; and,

~~a cover enclosing a back-side surface of the display unit;~~

wherein the display device has a height that is equivalent to a total height of the display unit and cover only.

12. (Original) A display unit according to claim 11 wherein the bezel extension portion is disposed in a vicinity of a base portion of the display unit.

13. (Original) A display unit according to claim 11 wherein the display unit is arranged in a rectangular formation, and the bezel extension portion is extended from a lateral side of the display unit.

14. (Original) A display unit according to claim 11 wherein an inside space is surrounded by end surfaces of the display unit and a cover, and formed beneath a back-side surface of the bezel extension portion, and an electronic part is disposed within the inside space.